50/2008 A12 2.1

Raport Badawczy Research Report

RB/23/2008

Dealing with uncertainty in GHG inventories: how to go about it?

M. Jonas, T. White, G. Marland, D. Liberman, Z. Nahorski, S. Nilsson

Instytut Badań Systemowych Polska Akademia Nauk

Systems Research Institute Polish Academy of Sciences



POLSKA AKADEMIA NAUK

Instytut Badań Systemowych

ul. Newelska 6

- 01-447 Warszawa
- tel.: (+48) (22) 3810100
- fax: (+48) (22) 3810105

Kierownik Pracowni zgłaszający pracę: Prof. dr hab. inż. Zbigniew Nahorski

Warszawa 2008

INSTYTUT BADAŃ SYSTEMOWYCH POLSKIEJ AKADEMI NAUK

Matthias Jonas¹, Thomas White², Gregg Marland¹, Daniel Liberman³, Zbigniew Nahorski⁴, Sten Nilsson¹

DEALING WITH UNCERTAINTY IN GHG INVENTORIES: HOW TO GO ABOUT IT?

International Institute for Applied System Analysis (IIASA), Laxenburg, Austria

- ² Canadian Forest Service, Pacific Forestry Centre, Victoria, British Columbia, Canada
- ³ Chevron Corporation, San Ramon, California, USA
- ⁴ Systems Research Institute, Polish Academy of Sciences, Warsaw, Poland

Praca zgłoszona do wydawnictwa zbiorowego *Coping with Uncertainty '07: Robust Decisions*, które ma być wydane w *Lecture Notes in Economics and Mathematical Systems* (LNEMS), Springer.

Warszawa 2008

Chapter 1 Dealing with Uncertainty in GHG Inventories: How to Go About It?

Matthias Jonas¹, Thomas White², Gregg Marland¹, Daniel Lieberman³, Zbigniew Nahorski⁴, and Sten Nilsson¹

Abstract The assessment of greenhouse gases emitted to and removed from the atmosphere is high on both political and scientific agendas. Under the United Nations Framework Convention on Climate Change, Parties to the Convention publish annual or periodic national inventories of greenhouse gas emissions and removals. Policymakers use these inventories to develop strategies and policies for emission reductions and to track the progress of these policies. However, greenhouse gas inventories (whether at the global, national, corporate, or other level) contain uncertainty for a variety of reasons, and these uncertainties have important scientific and policy implications. For scientific, political, and economic reasons it is important to deal with the uncertainty of emissions estimates proactively. Proper treatment of uncertainty affects everything from our understanding of the physical system to the economics of mitigation strategies and the politics of mitigation agreements. A comprehensive and consistent understanding of, and a framework for dealing with, the uncertainty of emissions estimates should have a large impact on the functioning and effectiveness of the Kyoto Protocol and its successor. This

International Institute for Applied Systems Analysis (IIASA), Schlossplatz 1, A-2361 Laxenburg, Austria, jonas@iiasa.ac.at,marland@iiasa.ac.at,nilsson@iiasa. ac.at

Thomas White

Canadian Forest Service, Pacific Forestry Centre, 506 West Burnside Road, Victoria, British Columbia V8Z 1M5, Canada, thos_white@hotmail.com

Daniel Lieberman

ICF International, 1725 Eye St. NW., Suite 1000, Washington, DC 20006, USA (currently at Chevron Corporation, 6001 Bollinger Canyon Rd, K2339, San Ramon, CA 94583, USA), dlieberman@chevron.com

Zbigniew Nahorski

Systems Research Institute of the Polish Academy of Sciences, ul. Newelska 6, 01-447 Warsaw, Poland, zbigniew.nahorski@ibspan.waw.pl

Matthias Jonas, Gregg Marland, and Sten Nilsson

chapter attempts to pull together relevant fragments of knowledge, allowing us to get a better picture of how to go about dealing with the uncertainty in greenhouse gas inventories.

1.1 Introduction

The assessment of greenhouse gases (GHGs) emitted to and removed from the atmosphere is high on both political and scientific agendas. Under the United Nations Framework Convention on Climate Change (UNFCCC), Parties to the Convention have published annual or periodic national inventories of GHG emissions and removals since the mid 1990s. Policymakers use these inventories to develop strategies and policies for emission reductions and to track the progress of these policies. Where formal commitments to limit emissions exist, regulatory agencies and corporations rely on inventories to establish compliance records. Scientists, businesses, the public, and other interest groups use inventories to better understand the sources and trends in emissions.

GHG inventories contain uncertainty for a variety of reasons — for example, the lack of availability of sufficient and appropriate data and the techniques to process them. Uncertainty has important scientific and policy implications. However, until recently, relatively little attention has been devoted to how uncertainty in emissions estimates is dealt with and how it might be reduced. Now this situation is changing, with uncertainty analysis increasingly being recognized as an important tool for improving national, sectoral, and corporate inventories of GHG emissions and removals [1] (see also [2], and [3]).

At present, Parties to the UNFCCC are encouraged, but not obliged, to include with their periodic submissions on in-country CHG emissions and removals, estimates of the uncertainty associated with these emissions and removals; consistent with the Intergovernmental Panel on Climate Change's (IPCC) good practice guidance reports [4], [5]. Inventory uncertainty is monitored, but not regulated, under the Kyoto Protocol [1].

We argue that it makes a big difference in the framing of policies whether or not uncertainty is considered: reactively, because there is a need to do so; or proactively, because difficulties are anticipated. We follow [3] (2-3; see also [1]) who clearly state that uncertainty estimates are not intended to dispute the validity of national GHG inventory figures. But the uncertainty of emissions estimates underscores the lack of accuracy that characterizes many source and sink categories and thus makes for a more robust foundation on which to base policy.

According to the IPGC good practice guidance reports (notably, [4] p. 6.5), uncertainty analysis is intended to help "improve the accuracy of inventories in the future and guide decisions on methodological choice". Uncertainty

analyses function as indicators of opportunities for improvement in data measurement, data collection, and calculation methodology. Only by identifying elements of high uncertainty can methodological changes be introduced to address them. Currently, most countries that perform uncertainty analyses do so for the express purpose of improving their future estimates; and the rationale is generally the same at the corporate and other levels. Estimating uncertainty helps to prioritize resources and to take precautions against undesirable consequences. Depending on the intended purpose of an inventory, however, this may not be the extent of the utility of uncertainty analysis. Another rationale for performing uncertainty analysis is to provide a policy tool, a means to adjust inventories or analyze and compare emission changes in order to determine compliance or the value of a transaction. While some experts find the quality of uncertainty data associated with national inventories insufficient to use for these purposes, others offer justification for conducting uncertainty analyses to inform and enforce policy decisions. Some experts suggest revising the system of accounting on which current reduction schemes are based, while others seek to incorporate uncertainty measurements into emission and emission change analysis procedures. The latter could offer policy makers enhanced knowledge and additional insight on which to base GHG emission reduction measures.

We follow the proactive track of going about uncertainty. In Section 1.2 we look into the question of why uncertainty matters in general. Sections 1.3 and 1.4 elaborate on Section 1.2. In Section 1.3 we provide an overview of the state of the art of analyzing emission changes (also called emission signals) in consideration of uncertainty. We envision this analysis taking place in accordance with, not independent of, a dual-constrained (bottom-up/top-down) verification framework in Section 1.4. We summarize our findings in Section 1.5.

1.2 Does Uncertainty Matter?

The reference [1] (see also [3]) offers a number of reasons why the consideration of uncertainty in GHG inventories is important:

- Understanding the basic science of GHG gas sources and sinks requires an understanding of the uncertainty in their estimates.
- Schemes to reduce human-induced global climate change rely on confidence that inventories of GHG emissions allow the accurate and transparent assessment of emissions and emission changes.
- Uncertainty is higher for some aspects of a GHG inventory than for others. For example, past experience shows that, in general, methods used to estimate nitrous oxide (N_2O) emissions are more uncertain than those for methane (CH_4) and much more uncertain than those for carbon dioxide (CO_2) . In multi-gas, cross-sectoral or international comparisons; or

in trading systems or compliance mechanisms; approaches to uncertainty analysis need to be robust and standardized across sectors and gases, as well as among countries.

Uncertainty analysis helps to understand uncertainties: better science helps to reduce them. Better science needs support, encouragement and investment. Full carbon accounting (FCA) — or full accounting of emissions and removals, including all GHGs — in national GHG inventories is important for advancing the science. FCA is a prerequisite for reducing uncertainties in our understanding of the global climate system. From a policy viewpoint, FCA could be encouraged by including it in reporting commitments, but it might be separated from negotiation of reduction targets. Future climate agreements will be made more robust if there is explicit accounting for the uncertainties associated with emission estimates. Yes, understanding of uncertainty matters in many ways.

1.3 State of the Art of Analyzing Uncertain Emission Changes

In this section we elaborate on Section 1.2 by looking into the state of the art of analyzing changes in emissions (and removals) of GHGs in consideration of uncertainty. From a physical (measurability) point of view, the uncertainty surrounding emission changes becomes more important the smaller are the changes in the emissions, that is, the smaller the dynamics that they exhibit. Two options exist to avoid situations of great uncertainty versus small change: (1) allowing more time so that greater emission changes can materialize; and (2) increasing measurability, e.g., by focusing on GHG emissions that can be grasped with 'sufficient' certainty so that their changes are still 'significant' in spite of the uncertainty (alternatively, emissions that do not possess these characteristics can be treated differently). Given that renegotiating the commitment times under the Kyoto Protocol cannot happen, Option 1 is not considered further. Option 2 requires the application of techniques that allow analyzing emission changes quantitatively (i.e., on an intra-technique basis) and qualitatively (i.e., on an inter-technique basis). Any of these techniques can be applied to GHG emissions individually, that is, they allow a detailed and thorough comparison of agreed or realized changes in emissions.

While pursuing the analysis of uncertain emission changes, we typically refer to the country scale, the principal reporting unit for reporting greenhouse gas emissions and removals under the Kyoto Protocol, but we could also refer to any other spatio-thematic scale. The main motivation behind this research on uncertainty is the still unresolved issue of compliance (see also [6]). For most countries the emission changes agreed on under the Kyoto Protocol Foror the same order of magnitude as, or smaller than, the uncertainty that un-

derlies their combined CO_2 equivalent emissions estimates (compare the right columns of Tables 1.1 and 1.2).¹ Techniques to analyze uncertain emission signals from various points of view, ranging from signal quality (defined adjustments, statistical significance, detectability, etc.) to the way uncertainty is addressed (trend uncertainty or total uncertainty) are not in place. Any such technique, if implemented, could 'make or break' compliance, especially in cases where countries claim fulfillment of their reduction commitments. As already mentioned above, inventory uncertainty is monitored, but not regulated, under the Protocol. It remains to be seen whether the current status of negating uncertainty and abstaining from specifying clear rules on how to go about it will survive in the long term [8] (Compliance under the Kyoto Protocol).

Table 1.1 Countries included in Annex B to the Kyoto Protocol (KP) and their emission limitation and reduction commitments. See ISO Country Code abbreviations below. Sources: [9] (Decision 9/CP.2); [10] (Article 3.8, Annex B); [11] (Decision 11/CP.4); [12]; [13]; [14] (Mational Inventory Submissions); [15] (Section 2.b).

| Country | Annex B | Base Year(s) | Commitment | KP |
|---------|------------------------|---|------------|-----------------|
| Group | Country | for CO_2 , CH_4 , N_2O (for HFCs, PFCs, SF_6) | Period | Commitment % |
| la | see below ^a | 1990 (1995) | 2008-12 | |
| | see below ^b | 1990 (1990) | 2008-12 | |
| 15 | BG | 1988 (1995) | 2008-12 | 92 |
| 1c | RO | 1989 (1989) | 2008-12 | |
| 1d | SI | 1986 (1995) | 2008-12 | |
| 2 | ŪŠ° | 1990 (1990) | 2008-12 | 93 |
| 3a | JP | 1990 (1995) | 2008-12 | |
| | CA | 1990 (1990) | 2008-12 | 94 |
| 35 | ΗU | 1985-87 (1995) | 2008-12 | |
| 3c | PL | 1988 (1995) | 2008-12 | |
| 4 | HR | 1990 (1995) | 2008-12 | 95 |
| 5a | RU | 1990 (1995) | 2008-12 | 100 |
| 5b | NZ, UA | 1990 (1990) | 2008-12 | 100 |
| 6 | NO | 1990 (1990) | 2008-12 | 101 |
| 7 | AU | 1990 (1990) | 2008-12 | 108 |
| 8 | IS | 1990 (1990) | 2008-12 | 110 |

"Country Group 1a: BE, CZ, DE, DK, EC (= EU-15; the EU-27 does not have a common Kyoto target), EE, ES, FI, GR, IE, LT, LU, LV, MC, NL, PT, SE, UK. Member States of the EU-27 but without individual Kyoto targets: CY, ML. Listed in the Convention's Annex I but not included in the Protocol's Annex B: BY and TR (BY and TR were not Parties to the Convention when the Protocol was adopted). BY requested to become an

¹ The issue of great uncertainty versus small change also arises for small, intermediate, reduction targets. For instance, the EU discusses annual reduction steps in the context of an overall (EU-wide) GHG emission reduction of 20% by 2020 compared to 2005 [7] (p. 7). These steps follow a linear reduction path and are small (<2% per year; not compounded).</p>

Annex B country by amendment to the Kyoto Protocol at 2006 CMP 2 in 2006.² ^b Country Group 1a: AT, CH, FR, IT, LI, SK.

^c Country Group 2: The US has indicated its intention not to ratify the Kyoto Protocol. The US reports all its emissions with reference to 1990. However, information on 1990 in its national inventory submissions does not reflect or prejudge any decision that may be taken in relation to the use of 1995 as base year for HFCs, PFCs and SF_6 in accordance with Article 3.8 of the Kyoto Protocol.

AT: Austria; AU: Australia; BE: Belgium; BG: Bulgaria; BY: Belarus; CA: Canada; CH: Switzerland; CY: Cyprus; CZ: Czech Republic; DE: Germany; DK: Denmark; EC: European Community; EE: Estonia; ES: Spain; FI: Finland; FR: France; GR: Greece; HR: Croatia; HU: Hungary; IE: Ireland; IS: Iceland; IT: Italy; JP: Japan; LI: Liechtenstein; LT: Lithuania; LU: Luxembourg; LV: Latvia; MT: Malta; MC: Monaco; NL: Netherlands; NO: Norway; NZ: New Zealand; PL: Poland; PT: Portugal; RO: Romania; RU: Russian Federation; SE: Sweden; SI: Slovenia; SK: Slovak Republic; TR: Turkey; UA: Ukraine; UK: United Kingdom; US: United States.

Table 1.2 Emissions and/or removals of GIIGs, or combinations of GHGs, classified according to their relative uncertainties ranges. The bars of the arrows indicate the dominant uncertainty range for these emissions and removals, while the tops of the arrows point at the neighboring uncertainty ranges, which cannot be excluded but appear less frequently. LULUCF stands for the direct human-induced land-use, land-use change, and forestry activities stipulated by Articles 3.3 and 3.4 under the Kyoto Protocol [10]. The arrows are based on the total uncertainties that are reported for the Member States of the EU-25 [16] and the expertise available at IIASA's Forestry Program (cf. http://www.iiasa.ac.at/Research/FOR/uncl_bottomup.html) and elsewhere (e.g., [17] (Sections 2.3.7, 2.4.1); [5] (Section 5.2)). Source: [18] (Tab. 1), modified.

| Class | Relative Uncertainty [%] for 95 % CI | Classification of Emissions and/or Removals |
|-------|---|---|
| 1 | 0-5 | $\Downarrow CO_2$ from fossil fuel (plus cement) |
| 2 | 5-10 | ₿ all Kyoto GHGs |
| 3 | 10-20 | 1 plus LULUCF |
| | | Û. |
| 4 | 20-40 | 1)- |
| 5 | >40 (40-80) | \Downarrow CO ₂ net terrestrial (>80%) |

The analysis of emission signals in consideration of uncertainty can take three forms involving a multitude of techniques: (1) preparatory, (2) midway, and (3) retrospective signal analysis. Preparatory signal analysis allows generating useful knowledge that one would ideally wish to have at hand before negotiating international environmental agreements such as the Kyoto Protocol or its successors. For instance, it is important to know beforehand how great the uncertainties could be, depending on the desired level of confidence in the emission signal. What is the signal one wishes to detect and

 $^{^2}$ CMP =Conference of the Parties serving as the Meeting of the Parties to the Kyoto Protocol.

what is the risk one is willing to tolerate in meeting an agreed emission limitation or reduction commitment? To this end, it is generally assumed (1) that the emissions path between the base year and commitment year/period is a straight line (or of low dynamical order); and (2) that our knowledge of uncertainty in the commitment year/period will be as good as today's, in relative terms. Preparatory signal analysis allows factoring in the change in uncertainty, which can be due to learning and/or can result from structural changes in the emitters. However, researchers only begin to grasp these two determinants and to discriminate between them [?]. Handling the change in uncertainty is within reach but more data and research are needed. Being able to estimate the change in uncertainty is important in setting appropriate emission reduction targets, but one must not forget that preparatory signal analysis has not yet been applied in its simplest form to Kyoto commitments.

The state of the art of preparatory signal analysis is well summarized by [19] (see also [20]; [21]; [18]; and [22]), who compare six of the most widely discussed techniques.³ In addition, preparatory signal analysis exhibits a useful asset in that it can also be used to monitor the success of a country in reducing its emissions along a prescribed emissions target path between its base year and the commitment year/period. This opens up a range of policyrelevant applications.⁴

Midway and retrospective signal analysis are less advanced than preparatory signal analysis. So far, midway signal analysis still focuses on emissions rather than on emissions changes. Midway signal analysis is an attempt to assess information on an emissions path at some point in time between the base year and the commitment year/period. It considers a signal's path realized so far vis-à-vis a possible path toward the agreed emission limitation or reduction commitment. In this process, the dynamical moments (velocity, acceleration, etc.) of the historical and envisioned paths are compared, and this indicates (first-order control) whether or not it is likely to achieve the emission commitment. Midway signal analysis generally incorporates information from emissions prior to the base year to determine the signal's dynamical moments more accurately. The techniques explored so far to grasp the dynamics of, mostly, fossil-fuel CO₂ emissions encompass: polynomial regressions [25]; integral transforms [26]; and smoothing splines, parametric modeling and geometric Brownian motion modeling [27]. A related technique based on the analysis of short-term versus long-term attainability and controllability has been followed by [28] and [29].

Retrospective signal analysis of emission changes becomes important when countries seek to assess their actual achievements in the commitment

³ It is noted that attempts exist to put one of these six techniques to analyze uncertain emission changes, the verification time concept, on a stochastic basis (see Ermolieva et al., herein; and also [23] and [24]. It is correct to say that this technique still undergoes scientific scrutiny and awaits adjustment in order to operate in a preparatory mode.

⁴ See http://www.iiasa.ac.at/Research/FOR/unc_overview.html for an overview on IIASA's monitoring reports and the countries that are monitored.

Jonas et al.

year/period. We distinguish between two fundamentally different approaches: a static approach and a dynamic approach. The static approach is identical to the one taken under preparatory signal analysis except that the agreed emission limitation or reduction commitment is replaced by the actual emission achievement. The emission signal is evaluated in terms of uncertainty, detectability or statistical significance, risk, etc. In contrast, the dynamic approach additionally considers how the emission signal has actually evolved between the base year and the commitment year/period, taking its dynamics into account. Here, expertise gained under midway analysis can serve as a platform as it also aims at evaluating full emission paths.

In their commensurability exercise, with its focus on six preparatory signal analysis techniques, [19] concluded that a single best technique does not, and most likely will not, exist.⁵ This is because the available techniques suffer from inconsistencies in going about uncertainty that are not scientific but that are related to the way the Kyoto Protocol was designed. One technique, e.g., allows a country with a smaller emission reduction commitment to gain an advantage over a country with a greater emission reduction commitment,⁶ while another technique forces countries a priori to realize detectable signals before they are permitted to make economic use of their excess emission reductions.⁷ Reference [19] and colleagues stress that these 'inconsistencies' are the consequence of the Kyoto policy process running ahead of science, leaving

⁵ For the authors' study and numerical results see http://www.liasa.ac.at/ Research/FOR/unc_prep.html. Referring readers to this website facilitates easy replication for follow-up studies or, as in this case, avoiding duplication.

⁶ See, for instance, the so-called undershooting (Und) concept: Excel file available via numerical results to [19] at http://www.llasa.ac.at/Research/FOR/unc_prep. html: Worksheet Undershooting 4: column C (= Kyoto commitments δ_{KP} for country groups 1-8; see also Table 1); column C (= Kyoto commitments δ_{KP} for country's true Kyoto emissions target); and columns F-N or U-AC restricted to rows 14-16 (= presumed relative uncertainty ρ of the country's reported emissions). The Und concept requires undershooting 3: Kyoto targets in the commitment set and decrease the aforementioned risk (see columns F-N, rows \geq 17, for the required undershooting). Varying δ_{KP} while keeping the relative uncertainty ρ and the risk α constant (e.g., at $\rho = 15\%$ and $\alpha = 0.3$) exhibits that countries complying with a small δ_{KP} are better off than countries the must comply with a gree columns U-AC, rows \geq 17, for the modified emission limitation or reduction target, which is the sum of the agreed target under the Kyoto Protocol plus the required undershooting mentioned risk provided the spirit of the Kyoto Protocol!

⁷ See, for instance, the so-called combined undershoot and verification time (Und&VT) concept: Excel file available via numerical results to [19] at http://www.liasa.ac. at/Research/FOR/unc_prep.thml: Worksheet Und&VT : Figure 1. The Und&VT concept requires a priori detectable emission reductions, not limitations. That is, it requires the Protocol's emission limitation or reduction targets to be corrected for nondetectability through the introduction of an initial or obligatory undershooting so that the countries' emission semission seductions. This nullifies, de facto, the politically agreed targets under the Kyoto Protocol!

us with the awkward problem of choosing between bad or undesirable alternatives in applying preparatory signal analysis. We can simply ignore uncertainty knowing that, e.g., emission markets will then lack scientific credibility or we can give preference to one preparatory technique over another knowing that none is ideal in satisfying the Protocol's political cornerstones. As two of the most important shortfalls on the side of policymaking the authors identify (1) the overall neglect of uncertainty confronting experts with the situation that for most countries the agreed emission changes are of the same order of magnitude as the uncertainty that underlies their combined CO_2 equivalent emissions; and (2) the existence of nonuniform emission limitation or reduction commitments that were determined 'off the cuff'(i.e., derived via horse-trading) and did not result from rigorous scientific considerations.⁸ From a purely quantitative point of view, the first shortfall is of greater relevance than the second one. However, it appears that the first shortfall will vanish soon as mankind is getting increasingly under pressure to adopt a longer-lasting perspective and to realize greater emission reductions in the mid to long-term [32]; [33] (Decision 1/CP.13). Notwithstanding, we would still be left with the problem of which analysis technique to give preference to. This discussion has not even started.

1.4 How to Go About Dealing with Uncertainty?

In this section we elaborate on Section 1.2 from a holistic point of view. Our starting point is FCA (or more generally, full GHG accounting), meaning the full accounting of all emissions and removals (including all greenhouse gases). We consider FCA a prerequisite for constraining and reducing uncertainties in our understanding of the global climate system. A dual-constrained (verified) full carbon analysis can compare the sum of Earth-based measurements of flows to and from the atmosphere with atmosphere-based evaluation of exchanges with the Earth. As specified by [1], a verified FCA, including all sources and sinks of both the technosphere and terrestrial biosphere considered continuously over time, would allow the research and inventory communities to:

- present a real picture of emissions and removals at continental scales and beyond;
- avoid ambiguities generated by such terms as 'managed biosphere', 'baseline activities,' and 'additionality'. Elimination of splitting the terrestrial biosphere into a directly human-impacted (managed) and a not directly

⁸ This would be different if the nonuniformity of the emission limitation or reduction commitments would be the outcome of a rigorously based process resulting in a straightforward rule that applies equally to all countries as would be the case, for instance, under the so-called contraction and convergence approach (e.g., [30] (Section 2.3.2); [31]).

human-impacted (natural) part would be advantageous from a verification point of view as there is no atmospheric measurement that can discriminate the two [18] (Section 3).

And,

• make available reliable and comprehensive estimates of uncertainties that cannot be achieved using the current approach under the Kyoto Protocol. It is impossible to estimate the reliability of any system output if only part of the system is considered. The tacit assumptions underlying the Protocol are that man's impact on nature, the not-accounted remainder under the Protocol, is irrelevant and inventory uncertainty only matters from a relative perspective, not an absolute one. However, this approach is highly problematic because biases (i.e., discrepancies between true and reported emissions), typically resulting from partial accounting, are not uniform across space and time. And, man's impact on nature need not be constant or negligible.⁹

FCA is essential for good science. However, it would be for policymakers to decide how FCA is used. FCA could be used for 'crediting' in the sense of the Kyoto Protocol (i.e., for compliance) or only for 'accounting' and scientific understanding as required under the UNFCCC. Given that the treatment of the land use, land-use change, and forestry (LULUCF) sector in general poses a number of characteristic challenges (see box), we prefer the latter of which, however, the Kyoto compliance accounting as required under the Protocol would form a logical and consistent subset.

Uncertainty in the LULUCF sector:

Expressing uncertainties in the LULUCF sector can be challenging because of:

- the complexities and scales of the systems being modeled;
- the fact that human activity in a given year can impact emissions and removals in these systems over several years, not just the year in which the activity took place; and

 $^{^9}$ In their recent study [34] (Tab. 1) show that, making use of global carbon budget data between 1959 and 2006, the efficiency of natural carbon sinks to remove atmospheric CO₂ has declined by about 2.5% per decade. Although this decline may look modest, it represents a mean net 'source' to the atmosphere of 0.13 PgC y^{-1} during 2000-2006. In comparison, a 5% reduction in the mean global fossil emissions during the same time period yields a net 'sink' of 0.38 PgC y^{-1} . Thus, deteriorating natural carbon sinks as a result of climate change or man's direct impact exhibit the potential to offset efforts to reduce fossil fuel emissions. This shows that man's impact on nature is indeed not negligible and stresses the need to look at the entire system, that is, to develop a FCA system where emissions and removals and their trends are monitored in toto.

- 1 Dealing with Uncertainty in GHG Inventories
 - these systems being strongly affected by inter-annual, decadal, and long-term variability in climate.

Knowledge of the temporal dynamics of systems — what has happened in the past, and how actions in the present will affect emissions/removals in the future — is important; gaps in this knowledge add to uncertainties about the immediate impacts of human activities.

Approaches to estimating emissions and removals in the LULUCF sector frequently involve the use of detailed data and computer models to simulate the complex functional relationships that exist in natural systems. But one consequence of using more detailed methods is that the estimation of uncertainty also comes more into play. However, despite conceptual and technical challenges, powerful tools for combining different kinds of information from multiple sources are becoming available and are increasingly being used by modelers to reduce uncertainties in the LULUCF sector.

These tools allow modelers to increase their focus on model validation and on reconciling results from alternative approaches. However, one key barrier remains. Reporting under the UNFCCC and Kyoto Protocol provides only a partial account of what is happening in the LULUCF sector. To close the verification loop would require the adoption of FCA.

Despite improvements in approaches to estimating uncertainty in emissions and removals in the LULUCF sector, some challenges remain. The treatment of this sector in future policy regimes requires special consideration.

FCA is expected to facilitate the reconciliation of two broad accounting approaches: top-down and bottom-up accounting. Top-down accounting takes the point of view of the atmosphere. It relies on observations of atmospheric CO_2 concentrations, changes in concentrations, and atmospheric modeling to infer fluxes from land and ocean sources. Bottom-up accounting takes the opposite perspective. It relies on observations of stock changes or fluxes at the Earth's surface and infers the change in the atmosphere. Full carbon accounting — estimating all land and ocean-based fluxes, whether humaninduced or not — is necessary to reconcile the top-down and bottom-up approaches.

While methods of both top-down and bottom-up accounting have improved in recent years, both approaches still have areas of weakness. Investment in research is needed to tackle these limitations, improve the FCA approach, and hence reduce uncertainties (see also [35]).

Last, but not least, it must be kept in mind that verification of emission estimates does not necessarily imply detection of emission signals (e.g., decreased emissions) over time. It is the latter research that is needed to complement the bottom-up/top-down accounting of GHGs and the prime goal of this research community to close the existing gaps in the accounting.

Thus, from a policy perspective, there are pressing issues regarding how uncertainty can be dealt with through uncertainty analysis techniques and improvements to science. The implications for policymakers working to reduce human impacts on the global climate include [1]:

- Uncertainty analysis helps to understand uncertainties: better science helps to reduce uncertainties. Better science needs support, encouragement, and investment. FCA in national GHG inventories is important for advancing the science. It could be included in reporting but separated from targets for reducing emissions.
- Uncertainty is inherently higher for some aspects of an inventory than for others. For example, the LULUCF sector has higher uncertainties than the fossil fuel sector and estimates of N_2O emissions tend to be more uncertain than those of CH_4 and CO_2 . This raises the possibility that some components of a GHG inventory could be treated differently than others in the design of future policy agreements.¹⁰
- Improving inventories requires one approach: improving emissions trading mechanisms another. Inventories will be improved by increasing their scope to include FCA. In contrast, one option for improving emissions trading mechanisms would be to reduce their scope. Currently, emissions trading mechanisms may include estimation methodologies with varying degrees of uncertainty but they do not explicitly consider uncertainty or treat it in a standardized fashion. There are two options for improving this situation. The first option, as mentioned, is to reduce the scope of emissions trading mechanisms by excluding uncertain methodologies or more uncertain GHGs to make them more manageable (see also [39]). The second option is to retain the scope of emissions trading mechanisms but to adopt a standardized approach to estimating uncertainty. But we could not guarantee that the latter approach would eventually withstand large biases resulting, e.g., from a mismatch in the bottom-up versus top-down accounting.

In the context of pricing uncertainty, it needs to be mentioned that uncertainty is an inherent part of any emissions accounting and that it will play an important role in both the scientific understanding of emissions and in their political treatment of emissions. At present uncertainty does not play a role in trading of emissions credits. Ultimately, uncertainty can be borne by either the buyer or seller of any asset, and it should be agreed in advance of any exchange how this is to be dealt with. Risky or uncertain assets will

¹⁰ This view of treating subsystems individually and differently runs counter to the approach typically taken. The tendency has been to treat subsystems collectively and equally and to dispose over a wide range of options in order to minimize costs or maximize benefits resulting from the joint emissions reduction of GHGs and air pollutants (e.g., [36]; [37] (77); [38]).

be traded at a discount to the extent that the risk and uncertainty are to be assumed by the buyer.

Literature on the treatment of upfront scientific uncertainty in financial markets is already emerging (e.g., [40]; [41]; [22]), but this has not yet been applied widely to GHG emissions credits. For now it appears that buyers of emissions credits generally accept credits without uncertainty and the seller is obligated to ensure that the credits are fulfilled.

With the current system of trading in allowances and credits, neither buyers nor sellers have much incentive to work to reduce the uncertainty associated with emissions inventory or reduction estimates; to do so might impact the single-point emission (or reduction) estimate, thus directly affecting allowance or credit values. For example, a highly uncertain emission reduction estimate that is biased high will tend to be worth more (claiming greater reductions), given the market's willingness-to-pay, than the same reduction figured more accurately and with greater uncertainty. This suggests the possibility that other or more complex pricing mechanisms than the current cap-and-trade system might exist and would be better able to deal with uncertainty by, for example, monetizing (i.e., rewarding) increased confidence. Such a system might also differentiate between different types of emissions and/or reductions and their uncertainties.

1.5 Conclusions

We see a clear rationale for conducting and improving nucertainty analysis:

- Uncertainty analysis improves the monitoring of GHG emissions. Uncertainty analysis helps to understand uncertainties and encourages better science that will help to reduce uncertainty.
- Better science requires the adoption of FCA. More investment in research is needed to reconcile the bottom-up and top-down accounting approaches that are fundamental to FCA and that constrain uncertainty. FCA may only be used for 'accounting' but with the Kyoto compliance accounting as a logical and consistent subset used for 'crediting'. We anticipate that within a few years scientists will overcome any bottom-up/top-down accounting gap for the Kyoto GHGs at the scale of continents. They may even be able to downscale validated, and verified (dual-constrained), emissions estimates to the scale of countries or groups of countries. That is, scientists will be able to verify (correct) politically driven (mis-)accounting reported annually bottom-up under the Kyoto Protocol and its successor.
- Some GHG emissions and removals estimates are more nncertain than others. Options exist to address this issue, and these could be incorporated in the design of future policy regimes. These also include (I) the option of not splitting the terrestrial biosphere into a directly human-impacted (managed) and a not-directly human-impacted (natural) part to avoid

sacrificing bottom-up/top-down verification; and (II) the option of not pooling subsystems with different relative uncertainties but treating them individually and differently.

- We expect the treatment of scientific uncertainty in financial markets to gain relevance. Neither buyers nor sellers of GHG emission credits have a strong interest to let this issue go unresolved.
- The issue of compliance also goes unresolved and requires directing attention to the appropriate treatment of emission changes in consideration of uncertainty. Currently, signal analysis is still treated independently of bottom-up/top-down verification, but scientists will eventually be able to make the two consistent and to go hand-in-hand.

References

- IIASA: Uncertainty in greenhouse gas inventories. IIASA Policy Brief 01, International Institute for Applied Systems Analysis, Laxenburg, Austria. (2007). URL http: //www.liasa.ac.at/Publications/policy-briefs/pb01-web.pdf
- International Petroleum Industry Environmental Conservation Association: Greehouse Gas Emissions Estimations and Inventories. Addressing Uncertainty and Accuracy. Summary Report. (2007). URL http://www.ipieca.org/activities/ climate_change/downloads/publications/Uncertainty.pdf
- Lieberman, D., Jonas, M., Winiwarter, W., Nahorski, Z., Nilsson, S.: Accounting for Climate Change. Uncertainty in Greenhouse Gas Inventories — Verification, Compliance, and Trading, chap. Accounting for Climate Change: Introduction. Springer, Dordrecht, The Netherlands. (2007). DOI 10.1007/s11267-006-9120-8
- Penman, J., Kruger, D., Galbally, I., Hiraishi, T., Nyenzi, B., Emmanuel, S., Buendia, L., Hoppaus, R., Martinsen, T., Meijer, J., Miwa, K., Tanabe, K., (eds.): Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories. Institute for Global Environmental Strategies, Hayama, Kanagawa, Japan. (2000). URL http://www.ipcc-nggip.iges.or.jp/public/gp/english/
- Penman, J., Gytarsky, M., Hiraishi, T., Krug, T., Kruger, D., Pipatti, R., Buendia, L., Miwa, K., Ngara, T., Tanabe, K., Wagner, F., (eds.): Good Practice Guidance for Land Use, Land-use Change and Forestry. Institute for Global Environmental Strategies, Hayama, Kanagawa, Japan. (2003). URL http://www.ipcc-nggip.iges.or. jp/public/gpglulucf/gpglulucf.htm
- Gupta, J., Olshoorn, X., Rotenberg, E.: The role of scientific uncertainty in compliance with the Kyoto Protocol to the climate change convention. Environmental Science & Policy 6(6), 475-486 (2003). DOI doi:10.1016/j.envsci.2003.09.001
- COM: Proposal for a directive of the European Parliament and of the Council amending Directive 2003/87/ec so as to improve and extend the greenhouse gas emission allowance trading system of the Community. Tech. Rep. 16 final, Commission of the European Communities, Brussels, Belgium. (2008). URL http://eur-lex.europa. eu/LexUriServ/LexUriServ.do?uri=COM:2008:0016:FIN:EN:PDF
- FCCC: Compliance under the Kyoto Protocol. Secretariat to the UN Framework Convention on Climate Change (FCCC), Bonn, Germany. (2008a). URL http:// unfccc.int/kyoto_protocol/compliance/items/2875.php
- FCCC: Report of the Conference of the Parties on its Second Session, held at Geneva from 8 to 19 July 1996. Addendum. Part two: Action taken by the Conference of the Parties at its Second Session. Tech. Rep. FCCC/CP/1996/15/Add.1, UN Framework

Convention on Climate Change (FCCC), Bonn, Germany. (1996). URL http://unfccc.int/resource/docs/cop2/15a01.pdf

- FCCC: Report of the Conference of the Parties on its Third Session, held at Kyoto from 1 to 11 December 1997. Addendum. Part two: Action taken by the Conference of the Parties at its Third Session. Tech. Rep. FCCC/CP/1997/7/Add.1, UN Framework Convention on Climate Change (FCCC), Bonn, Germany. (1998). URL http:// unfccc.int/resource/docs/cop3/07a01.pdf
- FCCC: Report of the Conference of the Parties on its Fourth Session, held at Buenos Aires from 2 to 14 November 1998. Addendum. Part two: Action taken by the Conference of the Parties at its Fourth Session. Tech. Rep. FCCC/CP/1998/16/Add.1, UN Framework Convention on Climate Change (FCCC), Bonn, Germany. (1999). URL http://unfccc.int/resource/docs/cop4/16a01.pdf
- FCCC: Kyoto Protocol: Countries included in Annex B to the Kyoto Protocol and their emission targets. Secretariat to the UN Framework Convention on Climate Change (FCCC), Bonn, Germany. (2008b). URL http://unfccc.int/kyoto_ protocol/items/3145.php
- FCCC: Kyoto Protocol Base Year Data. Secretariat to the UN Framework Convention on Climate Change (FCCC), Bonn, Germany. (2008c). URL http://unfccc.int/ ghg_data/kp_data_unfccc/base_year_data/items/4354.php
- FCCC: National inventory submissions 2008. Secretariat to the UN Framework Convention on Climate Change (FCCC), Bonn, Germany. (2008d). URL http://unfccc.int/national_reports/annex_i_ghg_inventories/ national_inventories_submissions/items/4303.php
- COM: Report from the Commission. Assigned amount report of the European Union. Tech. Rep. 799 final, Commission of the European Communities (COM)., Brussels, Belgium. (2006). URL http://eur-lex.europa.eu/LexUriServ/LexUriServ. do?uri=COM:2006;0799:FIN:EN:PDF
- EEA: Annual European Community greenhouse gas inventory 1990-2005 and inventory report 2007. Tech. Rep. 7, European Environment Agency (EEA), Copenhagen, Deumark. (2007). URL http://reports.eea.europa.eu/technical_ report_2007_7/en/
- Watson, R., Noble, I., Bolin, B., Ravindranath, N., Verardo, D., Dokken, D., (eds.): Land Use, Land-Use Change, and Forestry. Cambridge University Press, Cambridge, UK. (2000). URL http://www.ipcc.ch/ipccreports/sres/land_ use/index.htm
- Jonas, M., Nilsson, S.: Accounting for Climate Change. Uncertainty in Greenhouse Gas Inventories — Verification, Compliance, and Trading, chap. Prior to an Economic Treatment of Emissions and their Uncertainties under the Kyoto Protocol: Scientific Uncertainties that Must be Kept in Mind, p. 159. Springer, Dordrecht, The Netherlands. (2007). DOI 10.1007/s11267-006-9113-7
- Jonas, M., Gusti, M., Jeda, W., Nahorski, Z., Nilsson, S.: Comparison of preparatory signal detection techniques for consideration in the (post-) Kyoto policy process. In: 2nd International Workshop on Uncertainty in Greenhouse Gas Inventories, pp. 107-134. Laxenburg, Austria. (2007). URL http://www.ibspan.waw.pl/ghg2007/ par.htm
- Jonas, M., Nilsson, S., Bun, R., Dachuk, V., Gusti, M., Horabik, J., Jeda, W., Nahorski, Z.: Preparatory signal detection for Annex I countries under the Kyoto Protocol --a lesson for the post-Kyoto policy process. Interim Report IR-04-024, International Institute for Applied Systems Analysis, Laxenburg, Austria. (2004). URL http: //www.iiasa.ac.at/Publications/Documents/IR-04-024.pdf
- Gillenwater, M., Sussman, F., Cohen, J.: Accounting for Climate Change. Uncertainty in Greenhouse Gas Inventories — Verification, Compliance, and Trading, chap. Practical Policy Applications of Uncertainty Analysis for National Greenhouse Gas Inventories. Springer, Dordrecht, The Netherlands. (2007). DOI 10.1007/s11267-006-9118-2

- Nahorski, Z., Horabik, J., Jonas, M.: Uncertainty in Greenhouse Gas Inventories ---Verification, Compliance, and Trading, chap. Compliance and Emissions Trading under the Kyoto Protocol: Rules for Uncertain Inventories. Springer, Dordrecht, The Netherlands. (2007). DOI 10.1007/s11267-006-9112-8
- Hudz, H.: Verification times underlying the Kyoto Protocol: Consideration of risk. Interim Report IR-02-066, International Institute for Applied Systems Analysis, Laxenburg, Austria. (2003). URL http://www.iiasa.ac.at/Publications/ Documents/IR-02-066.pdf
- Hudz, H., Jonas, M., Ermolieva, T., Bun, R., Ermoliev, Y., Nilsson, S.: Verification times underlying the Kyoto Protocol: Consideration of risk. Background data for IR-02-066. International Institute for Applied Systems Analysis, Laxenburg, Austria. (2003b). URL http://www.ijasa.ac.at/Research/FOR/vt_concept.html
- Gusti, M., Jeda, W.: Carbon management: A new dimension of future carbon research. Interim Report IR-02-006, International Institute for Applied Systems Analysis, Laxenburg, Austria. (2002). URL http://www.iiasa.ac.at/Publications/ Documents/IR-02-006.pdf
- Dachuk, V.: Looking behind the Kyoto Protocol: Can integral transforms provide help in dealing with the verification issue? Interim Report IR-02-046, International Institute for Applied Systems Analysis, Laxenburg, Austria. (2003). URL http: //www.ilasa.ac.at/Publications/Documents/IR-02-046.pdf
- Nahorski, Z., Jeda, W.: Accounting for Climate Change: Uncertainty in Greenhouse Gas Inventories — Verification, Compliance, and Trading, chap. Processing National CO₂ Inventory Emissions Data and their Total Uncertainty Estimates. Springer, Dordrecht, The Netherlands. (2007). DOI 10.1007/s11267-006-9114-6
- Smirnov, A.: Attainability analysis of the dice model. Interim Report IR-05-049, International Institute for Applied Systems Analysis, Laxenburg, Austria. (2005). URL http://www.liasa.ac.at/Publications/Documents/IR-05-049.pdf
- Pivovarchuk, D.: Consistency between long-term climate targets and short-term abatement policies: Attainability analysis technique. Interim Report forthcoming, International Institute for Applied Systems Analysis, Laxenburg, Austria. (2008)
- WBGU: Climate protection strategies for the 21st Century: Kyoto and beyond. Special report, German Advisory Council on Global Change (WBGU), Bremenhaven, Germany. (2003). URL http://www.wbgu.de/wbgu_sn2003_engl.html
- Pearce, F.: Saving the World, Plan B. New Scientist 180(2425), 6-7 (2003). URL http://www.newscientist.com/article/ dn4467-greenhouse-gas-plan-b-gaining-support.html
- 32. CANA: Scorecard of the Bali climate talks. Climate Action Network Australia, Ultimo, New South Wales, Australia. (2007). URL http: //www.cana.net.au/international/Bali_scorecard_back_page_ final.pdf((Seealso)http://www.cana.net.au/documents/CANA_Bali_ climate_negotiations_brief_final.pdf())
- 33. FCCC: Report of the Conference of the Parties on its Thirteenth Session, held in Bali from 3 to 15 December 2007. Addendum. Part two: Action taken by the Conference of the Parties at its Thirteenth Session. Tech. Rep. FCCC/CP/2007/6/Add.1, UN Framework Convention on Climate Change (FCCC), Bonn, Germany. (2007). URL http://www.unisdr.org/eng/ r1sk-reduction/climate-change/docs/Bali-Action-plan.pdf
- Canadell, J., Le Quere, C., Raupach, M., Field, C., Ciais, P., Conway, T., Gillett, N., Houghton, R., Marland, G.: Contributions to accelerating atmospheric CO₂ growth from economic activity, carbon intensity, and efficiency of natural sinks. PNAS 104(47), 18,866–18,870 (2007). DOI 10.1073/pnas.0702737104
- Pearce, F.: Kyoto promises are nothing but hot air. New Scientist 190(2557), 10-11 (2006). URL http://www.newscientist.com/article/mg19025574. 000-kyoto-promises-are-nothing-but-hot-air.html

- McCarl, B., Schneider, U.: Climate change: Greenhouse gas mitigation in U.S. agriculture and forestry. Science 294(5551), 2481–2482 (2001). DOI 10.1126/science.1064193
- Hansen, J.: Defusing the global warming time bomb. Scientific American. pp. 68-77 (2004). URL http://www.columbia.edu/~jehl/hansen_timebomb.pdf
- APD: Air pollution and greenhouse gases. Atmospheric Pollution and Economic Development (APD) Program, International Institute for Applied Systems Analysis, Laxenburg, Austria, (2008). URL http://www.iissa.ac.at/rains/qhg.html
- Monni, S., Syri, S., Pipatti, R., Savolainen, I.: Accounting for Climate Change. Uncertainty in Greenhouse Gas Inventories — Verification, Compliance, and Trading, chap. Extension of EU Emissions Trading Scheme to Other Sectors and Gases: Consequences for Uncertainty of Total Tradable Amount. Springer, Dordrecht, The Netherlands. (2007). DOI 10.1007/s11267-006-9111-9
- Érmoliev, Y., Michalevich, M., Nentjes, A.: Markets for tradeable emission and ambient permits: A dynamic approach. Environ. Res. Ecou. 15(1), 39-56 (2000). URL http: //www.springerlink.com/content/x7365U1217736512/fulltext.pdf
- Godal, O., Ermöliev, Y., Klassen, G., Obersteiner, M.: Carbon trading with imperfectly observable emissions. Environ. Res. Econ. 25(2), 151–169 (2003). URL http://www. springerlink.com/content/rWl224/3j0725354/fulltext.pdf