

CONTACT TRANSFORMATIONS IN GRANULAR ASSEMBLIES OF 2D NON-CONVEX GRAINS

Krzysztof Szarf¹

¹*Chair of Geotechnics, Geology and Marine Civil Engineering, Faculty of Civil and Environmental Engineering, Gdansk University of Technology, Gdansk, Poland
e-mail: krzszarf@pg.edu.pl*

1. Context of the Study

Numerical modelling of granular materials as discrete particles becomes more common, especially with increasing computational power available. The default tactic of many researchers is to increase the overall complexity of the simulation but to save on computational power by oversimplifying important aspects of the medium itself, namely the form of the particles used. Most of Discrete Element Method simulations incorporate the simplest particle shapes possible: discs in 2D and spheres in 3D. The well-known pathological effects of such assemblies (e.g. low shear resistance, small changes of volume in shearing) are remediated with various numerical features, such as additional contact laws [4, 5], restrictions on degrees of freedom [2], etc. Such approaches, however effective, can be regarded as controversial because of dubious values of the multiple numerical parameters needed.

Other simulations incorporate complex particle shapes, but without full understanding of the underlying physics. Detailed studies focused on the grain shape influence have been performed [1, 3, 7], but the problem remains open to further investigations.

2. Overview of the Study

A family of non-convex 2D particles (clumps) with three axes of symmetry was chosen to form multiple polydisperse assemblies simulated in the framework of Molecular Dynamics in *PFC^{2D}*. The particles, each made of three discs, were described with a single low-order shape parameter α . The samples were carefully prepared so as to ensure homogeneity of the initial assemblies in terms of contact directions, spatial distribution of porosity, distribution of the coordination number, etc. The numerical parameters of the simulations were chosen with respect to certain dimensionless characteristic numbers [6] to assure quasi-static loading conditions. Each sample consisted of 5000 identical particles of different sizes, initially loaded isotropically in a square box, and later biaxially compressed ($\dot{\epsilon}_1 = const$; $\sigma_3 = const$) up to a critical state, where $\frac{p}{q} = \frac{\sigma_1 - \sigma_3}{\sigma_1 + \sigma_3} \cong const$ and $\epsilon_{vol} \cong const$. Four comparable but random samples of each particle shape type were prepared in parallel in order to enable statistical analysis of the results. Although the results of such simulations were investigated macroscopically in the past [8], their microscale studies leave a lot of room for further research.

Because of the complex shapes of the clumps, much more complicated contacts were possible between any two particles (contacts between two neighbouring clumps via two, three or four discs), unlike in assemblies made of separate discs, where only a singular point of contact is possible. The focus of this research was to observe the transitions of contact types in different phases of the biaxial compression test, contact point (area) transformations, location of certain contacts in the force chain network, and to examine the findings in the context of contact force magnitudes and the shapes of the particles.

Acknowledgments The author would like to express his gratitude to Gaël Combe and Pascal Villard of Laboratoire 3S-R in Grenoble, France for their invaluable input to this work.

References

- [1] Emilien Azéma, Itthichai Preechawuttipong, and Farhang Radjai. Binary mixtures of disks and elongated particles: Texture and mechanical properties. *Physical Review E*, 94(4):042901, 2016.
- [2] Francesco Calvetti, Fabrice Emeriault, et al. Interparticle forces distribution in granular materials: link with the macroscopic behaviour. *Mechanics of Cohesive-frictional Materials*, 4(3):247–279, 1999.
- [3] Gaël Combe, Cécile Nouguier-Lehon, Émilien Azéma, Krzysztof Szarf, Baptiste Saint-Cyr, Marie Chaze, Farhang Radjai, Pascal Villard, Jean-Yves Delenne, Vincent Richefeu, et al. A benchmark for particle shape dependence. In *AIP Conference Proceedings*, volume 1542, pages 883–886. AIP, 2013.
- [4] MJ Jiang, H-S Yu, and D Harris. A novel discrete model for granular material incorporating rolling resistance. *Computers and Geotechnics*, 32(5):340–357, 2005.
- [5] Michał Nitka, Jacek Tejchman, and Jan Kozicki. Discrete modelling of micro-structural phenomena in granular shear zones. In *Bifurcation and Degradation of Geomaterials in the New Millennium*, pages 7–12. Springer, 2015.
- [6] Jean-Noël Roux and François Chevoir. Discrete numerical simulation and the mechanical behavior of granular materials. *Bulletin des laboratoires des ponts et chaussées*, 254:109–138, 2005.
- [7] Baptiste Saint-Cyr, Krzysztof Szarf, Charles Voivret, Emilien Azéma, Vincent Richefeu, J-Y Delenne, Gaël Combe, C Nouguier-Lehon, P Villard, P Sornay, et al. Particle shape dependence in 2D granular media. *EPL (Europhysics Letters)*, 98(4):44008, 2012.
- [8] K. Szarf, G. Combe, and P. Villard. Polygons vs. clumps of discs: A numerical study of the influence of grain shape on the mechanical behaviour of granular materials. *Powder technology*, 208(2):279–288, 2011.