

<i>Xanthogramma ornata</i> Mg.	<i>Ascia podagrica</i> F.	<i>Baccha elongata</i> F.
<i>Ascia lanceolata</i> Mg.	— <i>floralis</i> Mg.	— <i>obscuripennis</i> Mg.
	<i>Sphegina clunipes</i> Fll.	

Phoridae.

<i>Conicera atra</i> Mg.	<i>Phora rufipes</i> F.	<i>Phora sordidipenis</i> L. Duf.
<i>Trineura aterrima</i> F.	— <i>heracleellae</i> Bouch.	— <i>funebri</i> Mg.
— <i>stictica</i> Mg.	— <i>pulicaria</i> Fll.	— <i>incrassata</i> Mg.
<i>Phora flava</i> Fll.	— <i>abdominalis</i> Fll.	— <i>femorata</i> Mg.
— <i>lutea</i> Mg.	— <i>ovata</i> Ztt.	— <i>agilis</i> Mg.
— <i>bicolor</i> Mg.	— <i>Giraudii</i> Egg.	— <i>nigra</i> Mg.
— <i>aptina</i> Schin.	— <i>crassicornis</i> Mg.	<i>Gymnophora arcuata</i> Mg.

Hippoboscidae.

Ornithomyia avicularia L. *Hippobosca equina* L.

