

ICONES PLANTARUM

AD

FLORAM

S I L E S I A C A M

ANTONII KROCKER

PERTINENTIUM ETC. ETC.

PARS II. TAB. I-XLIV.

VRATISLAVIAE,
SUMPTIBUS VILHELMI THEOPHILI KORN.

MDCCXCVL

ROBERTE LEVY

LEONARD

ST. I. S. I. S. I. S.

LEONARD

LEONARD

LEONARD

LEONARD

LEONARD

Elenchus Volum. II. partis I. Florae Silesiacae
Krockeri.

T. I.

Pyrola uniflora. Einblumiges Wintergrün. Descr. Vol. II. p. I. p. 15. n. 631. | Icon naturalis magnitudinis et coloris.

T. II.

Chrysosplenium alternifolium. Golden Milzkraut. Descr. Vol. II. p. I. p. 17. n. 632. | Fere ad triplum contracta, caeterum quoad habitum naturalis icon.

T. III.

Saxifraga caespitosa. Rasensteinbrech. Descr. Vol. II. part. I. p. 25. n. 642. | Icon naturali simillima, solum folia magis quam par laciniata, et multa exsiccata mixta vegetis.

T. IV.

Stellaria lateriflora nostra, certe nova. Einseitiges Sternkraut. Stellaria uliginosa Roth. flor. germ. p. 489. Stellaria alsine Hoffm. Taschenb. p. I. p. 153. Descr. Vol. II. part. I. p. 52. n. 675. | Icon aliquantisper contracta, petala non expressa.

T. V.

Arenaria tenuifolia Linn. lit. A. Dünablättriges Sandkraut. Descr. Vol. II. part. I. p. 60. n. 682. In eadem Tab. depicta Lit. B. Arenaria viscosa Schreb. Spicil. quam ego, et Wilden. Spec. pl. pro prioris habeo varietate. | Icon utraque quoad habitum naturali similis.

T. VI.

Arenaria laricifolia. Sandkraut mit Lerchen; Baum; Blättern. Descr. p. 62. Vol. II. part. I. n. 683. | Icon naturalis: folia solum paulisper latiora: calyces et stamina seu Antherae delapsae.

T. VII.

Cerastium pentandrum. Kleinstes Hornkraut, kleinster Bogelmayer. Descr. p. 81. Vol. II. part. I. n. 704. | Icon naturalis.

T. VIII.

T. VIII.

- | | |
|--|--|
| <p><i>Rubus caesius</i> cum floribus rubris. Kragbeere, Hocksbeere mit rothen Blumen. Descr. Vol. II. part. I. p. 156. n. 156.</p> | <p> Icon admodum contracta, ob flores rubros varietatem hanc singularem depingere curavi.</p> |
|--|--|

T. IX.

- | | |
|--|---|
| <p><i>Potentilla rupestris</i>. Felsen-Günzfingerkraut. Descr. Vol. II. part. I. p. 162. n. 792.</p> | <p> Icon ad duplum imminuta, quoad habitum tamen omnino naturalis.</p> |
|--|---|

T. X.

- | | |
|---|---|
| <p><i>Potentilla supina</i>. Schleichen-des-Günzfingerkraut. Descr. Vol. II. part. I. p. 163. n. 793.</p> | <p> Icon naturali minor, de reliquis simillima naturali.</p> |
|---|---|

T. XI.

- | | |
|---|--|
| <p><i>Potentilla verna</i>. Frühlings-Günzfingerkraut. Descr. Vol. II. part. I. p. 169. n. 799.</p> | <p> Icon magis contracta, quam ordinaria <i>Potentilla verna</i>, folia nimis angustata, stipulae petiolorum multo breviores, quam in statu naturali.</p> |
|---|--|

NB. *Potentilla* haec est *Potentillae* ordinariae verna singularis varietas; nempe differt: stipulis longioribus, quam in illa, et foliis angustioribus, pluribusque.

T. XII.

- | | |
|---|---|
| <p><i>Potentilla opaca</i>, an <i>Linnaei</i>? Dunkel-Günzfingerkraut. Descr. Vol. II. part. I. p. 171. n. 800.</p> | <p> Icon nimis contracta, flores nondum evoluti, marcidii, folia ad duplum, et ultra contracta; unde vix naturali similis.</p> |
|---|---|

T. XIII.

- | | |
|---|---|
| <p><i>Geum montanum</i>. Karniffelwurzel, Teufelsbart. Descr. Vol. II. part. I. p. 182.</p> | <p> Icon ad triplum contracta, radix abrupta, habitus tamen naturalis.</p> |
|---|---|

T. XIV.

- | | |
|---|---|
| <p><i>Comarum palustre</i>. Rothes Siebensfingerkraut. Descr. Vol. II. part. I. p. 184. n. 811.</p> | <p> Icon contracta, habitus naturalis.</p> |
|---|---|

T. XV.

- | | |
|---|---|
| <p><i>Anemone pratensis</i>. Schwarze Küchenschelle, Wiesen-Küchenschelle. Descr. Vol. II. part. I. p. 227. n. 849.</p> | <p> Icon ratione habitus naturalis, sed ad duplum contracta, folia aliqua non evoluta.</p> |
|---|---|

T. XVI.

T. XVI.

Anemone alpinä florens. | Icon bona, naturalis, sed contracta.

T. XVII.

Anemone alpina deflorata, pap- |
pum, ac semina retinens. |
Alpenfuchenschelle. Sil. Teu- | Icon bona, naturalis, sed
felsbart. Descr. Vol. II. p. I. | contracta.
p. 229. n. 850.

T. XVIII.

Anemone ranunculoides. Hah- |
nenfußartige Anemone. Sil. gel- |
be Waldveilchen, grade Wald- | Icon magnitudine, et aliis at-
veilchen. Descr. Vol. II. part. I. | tributis naturalis, bona.
p. 235. n. 854.

T. XIX.

Anemone narcissiflora. Narziß- |
Anemone. Sil. Berghänlein. | Icon multum contracta, radix
Descr. Vol. II. part. I. p. 234. | in integrum deficit, caete-
n. 855. | rum naturalis.

T. XX.

Anemone dodecaphylla michi. |
Zwölfblättrige Anemone. Geum | Icon bona, naturalis, solum
hybridum recentiorum, Descr. | radix deficit.
Vol. II. part. I. p. 235. n. 856.

T. XXI.

Ranunculus bulbosus. Knolliger |
Hahnenfuß, Rübenhahnenfuß. | Icon ultra duplum contracta,
Descr. Vol. II. part. I. p. 261. | de reliquis naturali similis.
n. 881.

T. XXII.

Isopyrum Thalictroides. Dol- |
tocke mit Wiesenraute; Blät- | Icon ad duplum imminuta,
tern. Descr. Vol. II. part. I. | caeterum naturali analoga.
p. 279. n. 890.

T. XXIII.

Caleobsis galeobdolon. Gold- |
nessel, gelbe Laubnessel. Descr. | Icon ad triplum contracta,
Vol. II. part. I. p. 317. n. 935. | caeterum naturalis.
Nunc Pollichia galeobdolon
recentiorum.

T. XXIV.

Leonurus marubiastrum. Unäch- |
ter Andorn. Descr. Vol. II. | Icon ad sextuplum fere con-
part. I. p. 339. n. 950. | tracta, de reliquis bona,
naturali simillima.

T. XXV.

T. XXV.

<p>Antirrhinum Elatine. Löwen- maul mit Spontouförmigen Blättern. Descr. Vol. II. part. I. p. 381. n. 987.</p>	<p>Icon, quoad omnia naturalis.</p>
---	-------------------------------------

T. XXVI.

<p>Lindernia pyxidaria. Anagalloi- des procumbens. Büchsenför- mige Liebernie, liegender Gastarthünerdarm. Descr. Vol. II. part. I. p. 398. n. 1001. Rarissima in Silesia et Germania planta.</p>	<p>Icon naturalis non illuminata, a naturali aliquantum de- flectit.</p>
---	--

T. XXVII.

<p>Limosella aquatica Linn. A. Wasser ; Sumpffraut. Descr. Vol. II. part. I. p. 405. n. 1005.</p>	<p>Utraque Icon naturalis.</p>
<p>In eadem Tab. 27. Limosella diandra lit. B. an varietas prioris? Descr. p. 405. n. 1006.</p>	

Elenchus Vol. II. partis II. dae.

T. XXVIII.

Draba verna. Frühlings-Hunger-
blümlein. Descr. Vol. II. | Icon ad duplum contracta;
part. II. p. 8. n. 1014. | exemplar enim insolitum, et
maximum suae sortis, unde
depingere curavi.

T. XXIX.

Lepidium ruderales A. michi:
certe est Lepidium Iberis
Linn. Wegkresse, Waldkresse. | Icon contracta, sed omnino
Descr. Vol. II. part. II. p. 17. | naturalis.
n. 1021.

T. XXX.

Lepidium ruderales B. genuinum
Lepidium ruderales Linn.
Stinkende Gerste. Descr. Vol. |
II. part. II. p. 15. n. 1020.

T. XXXI.

Iberis nudicaulis. Nackigte Iber-
Pflanze. Sil. Steinkresse, Flei- | Icon quoad omnia naturalis,
ner Bauern; Senf. Descr. Vol. |
II. part. II. p. 36. n. 1038.

T. XXXII.

Alyssum Calcynum. Kelch-Alyf- | Icon naturalis, sed flores de-
se. Descr. Vol. II. part. II. | florati, et folia multa de-
p. 39. n. 1041. | lapsa.

T. XXXIII.

Sisymbrium an indicum? Ost-
indische Rauffe. Descr. Vol. II. | Icon ad triplum, et ultra im-
part. II. p. 74. n. 1071. | minuta, et quoad totum ni-
| mis contracta, unde in in-
| tegram fere a naturali ablu-
| dit.

T. XXXIV.

Geranium striatum. Gestreifter
Storchschnabel. Descr. Vol. II. | Icon aliquantulum contracta,
part. II. p. 113. n. 1110. | caeterum naturali analoga.

T. XXXV.

T. XXXV.

- | | |
|---|---|
| <p><i>Fumaria bulbosa.</i> Knolliger
Erdrauch. Hohlwurz mit weiß-
sen und röthlichen Blumen.
Descr. Vol. II. part. II.
p. 138. n. 1156.</p> | <p>Icon commoda, parum contracta, sed flores aliquantum obliterati.</p> |
|---|---|

T. XXXVI.

- | | |
|--|--|
| <p><i>Vicia militans</i> Crazzii. Köcher-
förmige Wicken. Aufgerichtete
Wicken. Vielblumige Wicken.
Descr. Vol. II. part. II. p. 180.
n. 1173.</p> | <p>Icon ad duplum, et plus contracta, et naturali similis, verum sculptor illam ramis, et racemis, tum foliis ex uno latere privavit, unde habitus pro magna parte deturpatus.</p> |
|--|--|

T. XXXVII.

- | | |
|---|--|
| <p><i>Crepis pulchra.</i> Schönhabichts-
kraut, schöne Grundveste. Descr.
Vol. II. part. II. p. 320.
n. 1303.</p> | <p>Icon ad triplum imminuta, et contracta, habitus vero naturalis. NB. Non est crepis pulchra Linn., sed singularis sui generis species, de quo novis experimentis iterum convictus.</p> |
|---|--|

T. XXXVIII.

- | | |
|--|---|
| <p><i>Gnaphalium luteo-album.</i> Weiß-
gelbes Ruhrkraut. Descr.
Vol. II. part. II. p. 397.
n. 1374.</p> | <p>Icon ad duplum, ac ultra imminuta, capitulum non sufficienter evolutum, flores nondum florent, foliorum villositas non expressa; caeterum habitus naturali analogus.</p> |
|--|---|

T. XXXIX.

- | | |
|--|---|
| <p><i>Senecio, an squallidus?</i> Mittä-
gige Kreuzpflanze. Descr. Vol. II.
part. II. p. 416. n. 1393.</p> | <p>Icon ad sextuplum imminuta: habitus interea naturali similis, nisi quod folia aliquantisper deturpata.</p> |
|--|---|

T. XL.

- | | |
|---|--|
| <p><i>Inula squarrosa.</i> Glatter Mant,
sparrichter Mant. Descr. Vol.
II. part. II. p. 442. n. 1417.</p> | <p>Icon ad duplum contracta, folia nimis pallida, caeterum figura commoda.</p> |
|---|--|

T. XLI.

- | | |
|---|--|
| <p>Icon <i>Filaginis accaulis.</i> NB. Exemplaria duo, quorum unum vere accaule, alterum cauliculatum, ut ostendetur varietas utriusque. Stamm-
loses Filzkraut. Descr. Vol. II.
part. II. p. 498, n. 1471.</p> | <p>Icones naturales, certe distinctae a gnaphalio pumilo Haenke.</p> |
|---|--|

T. XLII.

T. XLII.

Filago gallica. Französisches
Fitzkraut, Klein Schimmel-
kraut. Descr. Vol. II. part. II.
p. 502. n. 1475.

NB. Habitus naturalis ratione
magnitudinis, et extensionis,
verum folia, et flores nimis
ampliati, et hi illuminati ni-
mis colorati, nec flores dis-
tincte expressi.

T. XLIII.


Viola uniflora, varietas Viola
biflorae. Einblumiges Weil-
chen. Descr. Vol. II. part. II.
p. 516. n. 1488.

Icon quoad omnia naturalis,
tantum corolla nimis parva,
ad duplum imminuta.

T. XLIV.

Viola grandiflora michi, non
Linn. nova species. NB. Vio-
lam luteam vocat Schmidt,
ego in Catalogo meo Violam
caespitosam vocavi, quia
etiam prima fronte se distin-
guit caespitibus maximis, den-
sissimis, in quibus crescere
solet. Caeterum nota: quod
etsi haec putata Viola grandiflora
non sit Viola grandiflora
Linnaei, haec tamen certe
in Silesia adsit, ut recentio-
res observationes ostendunt.
Crescit in Sudetis. Großes,
gelbes Weilchen. Descr. Vol. II.
part. II. p. 519. n. 1491.

Icon habitum exprimit, sed
ad duplum, et ultra con-
tracta, praecipue imminutae
corollae, unde planta sibi
dissimilis.





Pyrola uniflora.

1790



*Ramus cum flore
explicato.*


*Ramus cum flore
deflorato*

*Ramus cum flore deflorato.
Semine maturo, capsulis
apertis visibile.*



Folia ejus radicalia.

Chrysosplenium alternifolium.






Saxifraga caespitosa.





Stellaria lateriflora nostrata.






Arenaria tenuifolia
Linnaei.

A



Alsine viscosa.
Schreber mihi varietas
Arenariae tenuifoliae.

B



1100

Chenopodium
Chenopodium
Chenopodium

Chenopodium
Chenopodium



Arenaria laricifolia.



Dianthus barbatus



Cerastium pentandrum.





Rubus Coequeus
Floribus dilute purpureis.



Faint, illegible text, possibly a signature or title.



Potentilla rupestris.



Potentilla reptans



Potentilla supina.



Potentilla anserina



Potentilla verna.



Ranunculus abortivus

11. 1877
Ranunculus abortivus L.
11. 1877



Potentilla opaca.
An Lunnei?

WITTE



Stenactis spica
L.



Geum montanum.



Comarum palustre.





Anemone pratensis.



Handwritten text, likely a signature or name, located at the bottom left of the illustration.



Anemone alpina
A.





Anemone alpina
deflorata,
Pappo cum seminibus in
structa.
B



Thymus asper
Thymus asper
Thymus asper
L.



Anemone ranunculoides.



Phoenix rostrata
Linn.



Anemone narcissiflora.





Anemone dodecapetala nostra.



Ranunculus acris



Ranunculus bulbosus.



Ranunculus bulbosus



Isopyrum Thalictroides.



Bojnerum Chalcidum



*Galeopsis
Galeobdolon.*





Plante superior pars.

Plante inferior pars.

*Leonurus
Marubiastrum.*



Verbena officinalis



Antirrhinum
Elatine.



Passiflora
sp.



*Anagalloides
procumbens nostra.*



Verbena officinalis
Linnæus

A.




B.



*Limosellæ aquaticæ varietates duæ A. et B.
posterior est Limosella diandra.*



Smilax aquatica varietas duarum.
postior et Smilax diandra.



Draba verna.



Ranunculus acris



Lepidium ruderale
Lit. A.



Verbena vulgaris
L. f.




Lepidium ruderale
B.



Spidium rubrum
B.



Iberis nudicaulis.



Stem. umbellata



Myrsinum calycinum.





Silybrium
an Indicum?



Phaseolus
multicaulis



Geranium striatum.



Thymus serpyllifolius



*Ramulus Fumarie bulbosae
floribus rubellis.*

*Fumaria bulbosa
floribus albis.*



Ranunculus bulbosus
var. bulbosus

Ranunculus bulbosus
var. bulbosus

Bot. Tab. 27. Ranunculus bulbosus. var. bulbosus. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



Vicia militans cranzii?
An Vicia multiflora Polichii?



Trifolium pratense
 The red clover



Crepis pulchra.



Cyperus



*Plantae superi.
or pars.*

*Plantae inferior
pars.*

Gnaphalium

luteo album.





*Senecio
an squallidus.*




Verbena
officinalis

*Planta inferi.
or pars.*

*Plante superi.
rior pars.*

*Exemplar Inula squarrosa,
apud nos alius semper uni.
floris, hic exemplar triflorum
represso.*





Faint, illegible handwritten text, likely a botanical description or classification.



Filaginis acaulis
Exemplaria duo.



Phytolacca americana
Crotophaga alba



Filago gallica.



Verbena officinalis



An Viola uniflora ?

*Florem semper unum solum gerit; cæterum admodum
affinis Violæ bifloræ.*



Ranunculus repens
Linn. *Species Plantarum*, 1753, p. 100, t. 1, f. 100.
Linn. *Systema Naturae*, 1760, p. 100, t. 1, f. 100.



Viola grandiflora.



Ranunculus acris

