

COLLECTED
MATHEMATICAL
PAPERS

CAYLEY

VOLUME XIII



CAMBRIDGE
UNIVERSITY
PRESS

187

MATHEMATICAL PAPERS

MATHEMATICAL PAPERS.

London: C. J. CLAY AND SONS,
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,
AVE MARIA LANE.
Glasgow: 263, ARGYLE STREET.



Leipzig: F. A. BROCKHAUS.
New York: THE MACMILLAN COMPANY.
Bombay: E. SEYMOUR HALE.

THE COLLECTED
MATHEMATICAL PAPERS

OF

ARTHUR CAYLEY, Sc.D., F.R.S.,

LATE SADLERIAN PROFESSOR OF PURE MATHEMATICS IN THE UNIVERSITY OF CAMBRIDGE.

VOL. XIII.

CAMBRIDGE :
AT THE UNIVERSITY PRESS.

1897.

[*All Rights reserved.*]

opis nr: 48014

THE COLLECTED

THEMATICAL PAPERS

CAMBRIDGE:

PRINTED BY J. AND C. F. CLAY,

AT THE UNIVERSITY PRESS.



12807/B

br. 26.

ADVERTISEMENT.

THE present volume contains 80 papers, numbered 888 to 967, published for the most part in the years 1889 to 1895, the year in which Professor Cayley died. The volume completes the collection of his mathematical papers.

The table for the thirteen volumes is

Vol. I.	Numbers	1	to	100,
„ II.	„	101	„	158,
„ III.	„	159	„	222,
„ IV.	„	223	„	299,
„ V.	„	300	„	383,
„ VI.	„	384	„	416,
„ VII.	„	417	„	485,
„ VIII.	„	486	„	555,
„ IX.	„	556	„	629,
„ X.	„	630	„	705,
„ XI.	„	706	„	798,
„ XII.	„	799	„	887,
„ XIII.	„	888	„	967.

A. R. FORSYTH.

30 *November*, 1897.

CONTENTS.

[An Asterisk means that the paper is not printed in full.]

	PAGE
888. <i>On a form of quartic surface with twelve nodes</i>	1
British Association Report, (1886), pp. 540, 541	
889. <i>On a differential equation and the construction of Milner's lamp</i>	3
Edinburgh Math. Soc. Proc., t. v (1887), pp. 99—101	
890. <i>Note on the hydrodynamical equations</i>	6
Proc. Roy. Soc. Edin., t. xv (1888), pp. 342—344	
891. <i>On the binodal quartic and the graphical representation of the elliptic functions</i>	9
Camb. Phil. Soc. Trans., t. xiv (1889), pp. 484—494	
892. <i>Note on the orthomorphic transformation of a circle into itself</i>	20
Edinburgh Math. Soc. Proc., t. viii (1890), pp. 91, 92	
893. <i>The bitangents of the quintic</i>	21
Annals of Mathematics, t. v (1890), pp. 109, 110	
894. <i>An investigation by Wallis of his expression for π</i>	22
Quart. Math. Journ., t. xxiii (1889), pp. 165—169	
895. <i>A theorem on trees</i>	26
Quart. Math. Journ., t. xxiii (1889), pp. 376—378	
896. <i>A transformation in elliptic functions</i>	29
Quart. Math. Journ., t. xxiv (1890), pp. 259—262	

	PAGE
897. <i>Sur les racines d'une équation algébrique</i>	33
Comptes Rendus, t. cx (1890), pp. 174—176, 215—218	
898. <i>Sur l'équation modulaire pour la transformation de l'ordre 11</i>	38
Comptes Rendus, t. cxI (1890), pp. 447—449	
899. <i>Sur les surfaces minima</i>	41
Comptes Rendus, t. cxI (1890), pp. 953, 954	
900. <i>James Joseph Sylvester</i>	43
(Scientific Worthies in Nature, xxv); <i>Nature</i> , vol. xxxix (1889), pp. 217—219	
901. <i>Note on the sums of two series</i>	49
Messenger of Mathematics, t. xix (1890), pp. 29—31	
902. <i>On the focals of a quadric surface</i>	51
Messenger of Mathematics, t. xix (1890), pp. 113—117	
903. <i>On Latin squares</i>	55
Messenger of Mathematics, t. xix (1890), pp. 135—137	
904. <i>Note on reciprocal lines</i>	58
Messenger of Mathematics, t. xix (1890), pp. 174, 175	
905. <i>On the equation $x^{17} - 1 = 0$</i>	60
Messenger of Mathematics, t. xix (1890), pp. 184—188	
906. <i>Note on Schläefli's modular equation for the cubic transform- ation; with a correction</i>	64
Messenger of Mathematics, t. xx (1891), pp. 59, 60; 120	
907. <i>Note on the ninth roots of unity</i>	66
Messenger of Mathematics, t. xx (1891), p. 63	
908. <i>On two invariants of a quadri-quadric function</i>	67
Messenger of Mathematics, t. xx (1891), pp. 68, 69	
909. <i>On a particular case of Kummer's differential equation of the third order</i>	69
Messenger of Mathematics, t. xx (1891), pp. 75—79	
910. <i>Note on the involutant of two matrices</i>	74
Messenger of Mathematics, t. xx (1891), pp. 136, 137	

	PAGE
911. <i>On an algebraical identity relating to the six coordinates of a line</i>	76
Messenger of Mathematics, t. xx (1891), pp. 138—140	
912. <i>On the notion of a plane curve of a given order</i>	79
Messenger of Mathematics, t. xx (1891), pp. 148—150	
913. <i>On the epitrochoid</i>	81
Messenger of Mathematics, t. xx (1891), pp. 150—158	
914. <i>On a soluble quintic equation</i>	88
American Journal of Mathematics, t. XIII (1891), pp. 53—58	
915. <i>On the partitions of a polygon</i>	93
Proc. Lond. Math. Soc., t. XXII (1891), pp. 237—262	
916. [<i>Note on a theorem in matrices</i>]	114
Proc. Lond. Math. Soc., t. XXII (1891), p. 458	
917. [<i>Note on the theory of rational transformation</i>]	115
Proc. Lond. Math. Soc., t. XXII (1891), pp. 475, 476	
918. <i>On the substitution-groups for two, three, four, five, six, seven, and eight letters</i>	117
Quart. Math. Journ., t. XXV (1891), pp. 71—88, 137—155	
919. <i>On the problem of tactions</i>	150
Quart. Math. Journ., t. XXV (1891), pp. 104—127	
920. <i>On orthomorphosis</i>	170
Quart. Math. Journ., t. XXV (1891), pp. 203—226	
921. <i>On some problems of orthomorphosis</i>	191
Crelle's Journal der Mathem., t. CVII (1891), pp. 262—277	
922. <i>Note on the lunar theory</i>	206
Monthly Notices of the Royal Astronomical Society, t. LII (1892), pp. 2—5	
923. <i>Note on a hyperdeterminant identity</i>	210
Messenger of Mathematics, t. XXI (1892), pp. 131, 132	
924. <i>On the non-existence of a special group of points</i>	212
Messenger of Mathematics, t. XXI (1892), pp. 132, 133	

	PAGE
925. <i>On Waring's formula for the sum of the m^{th} powers of the roots of an equation</i>	213
Messenger of Mathematics, t. XXI (1892), pp. 133—137	
926. <i>Corrected seminvariant tables for the weights 11 and 12</i>	217
American Journal of Mathematics, t. XIV (1892), pp. 195—200	
927. <i>On Clifford's paper "On syzygetic relations among the powers of linear quantics"</i>	224
Proc. Lond. Math. Soc., t. XXIII (1892), pp. 99—104	
928. <i>On the analytical theory of the congruency</i>	228
Proc. Lond. Math. Soc., t. XXIII (1892), pp. 185—188	
929. <i>Note on the skew surfaces applicable upon a given skew surface</i>	231
Proc. Lond. Math. Soc., t. XXIII (1892), pp. 217—225	
930. <i>Sur la surface des ondes</i>	238
Annali di Matematica, Ser. II, t. XX (1892), pp. 1—18	
931. <i>On some formulæ of Codazzi and Weingarten in relation to the application of surfaces to each other</i>	253
Proc. Lond. Math. Soc., t. XXIV (1893), pp. 210—223	
932. <i>On symmetric functions and seminvariants</i>	265
American Journal of Mathematics, t. XV (1893), pp. 1—74	
933. <i>Tables of pure reciprocants to the weight 8</i>	333
American Journal of Mathematics, t. XV (1893), pp. 75—77	
934. <i>Note on the so-called quotient G/H in the theory of groups</i>	336
American Journal of Mathematics, t. XV (1893), pp. 387, 388	
935. <i>Sur la fonction modulaire $\chi\omega$</i>	338
Comptes Rendus, t. CXVI (1893), pp. 1339—1343	
936. <i>Note on uniform convergence</i>	342
Proc. Roy. Soc. Edin., t. XIX (1893), pp. 203—207	
937. <i>Note on the orthotomic curve of a system of lines in a plane</i>	346
Messenger of Mathematics, t. XXII (1893), pp. 45, 46	

	PAGE
938. <i>On two cubic equations</i>	348
Messenger of Mathematics, t. xxii (1893), pp. 69—71	
939. <i>On a case of the involution $AF + BG + CH = 0$, where A, B, C, F, G, H are ternary quadrics</i>	350
Messenger of Mathematics, t. xxii (1893), pp. 182—186	
940. <i>On the development of $(1 + n^2x)^{\frac{m}{n}}$</i>	354
Messenger of Mathematics, t. xxii (1893), pp. 186—190	
941. <i>Note on the partial differential equation</i> $Rr + Ss + Tt + U(s^2 - rt) - V = 0$	358
Quart. Math. Journ., t. xxvi (1893), pp. 1—5	
942. <i>On seminvariants</i>	362
Quart. Math. Journ., t. xxvi (1893), pp. 66—69	
943. <i>On reciprocants and differential invariants</i>	366
Quart. Math. Journ., t. xxvi (1893), pp. 169—194, 289—307	
944. <i>On Pfaff-invariants</i>	405
Quart. Math. Journ., t. xxvi (1893), pp. 195—205	
945. <i>Note on lacunary functions</i>	415
Quart. Math. Journ., t. xxvi (1893), pp. 279—281	
946. <i>Note on the theory of orthomorphosis</i>	418
Quart. Math. Journ., t. xxvi (1893), pp. 282—288	
947. <i>On a system of two tetrads of circles: and other systems of two tetrads</i>	425
Camb. Phil. Soc. Proc., t. viii (1893), pp. 54—59	
948. <i>Report of a Committee appointed for the purpose of carrying on the tables connected with the Pellian equation from the point where the work was left by Degen in 1817</i>	430
British Association Report, (1893), pp. 73—120	
949. <i>On Halphen's characteristic n, in the theory of curves in space</i>	468
Crelle's Journal der Mathem., t. cxI (1893), pp. 347—352	

	PAGE
950. <i>On the sextic resolvent equations of Jacobi and Kronecker</i> Crelle's Journal der Mathem., t. cxiii (1894), pp. 42—49	473
951. <i>Non-Euclidian geometry</i> Camb. Phil. Soc. Trans., t. xv (1894), pp. 37—61	480
952. <i>On the kinematics of a plane, and in particular on three-bar motion: and on a curve-tracing mechanism</i> Camb. Phil. Soc. Trans., t. xv (1894), pp. 391—402	505
953. <i>On the nine-points circle</i> Messenger of Mathematics, t. xxiii (1894), pp. 23—25	517
954. <i>On the nine-points circle of a plane triangle</i> Messenger of Mathematics, t. xxiii (1894), pp. 25—27	520
955. <i>The numerical value of $\Pi(i)$, = $\Gamma(1+i)$</i> Messenger of Mathematics, t. xxiii (1894), pp. 36—38	522
956. <i>On Richelot's integral of the differential equation $\frac{dx}{\sqrt{X}} + \frac{dy}{\sqrt{Y}} = 0$</i> Messenger of Mathematics, t. xxiii (1894), pp. 42—47	525
957. <i>Illustrations of Sylow's theorems on groups</i> Messenger of Mathematics, t. xxiii (1894), pp. 59—62	530
958. <i>On the surface of the order n which passes through a given cubic curve</i> Messenger of Mathematics, t. xxiii (1894), pp. 79, 80	534
959. <i>Note on Plücker's equations</i> Messenger of Mathematics, t. xxiv (1895), pp. 23, 24	536
960. <i>On the circle of curvature at any point of an ellipse</i> Messenger of Mathematics, t. xxiv (1895), pp. 47, 48	537
961. <i>A trigonometrical identity</i> Messenger of Mathematics, t. xxiv (1895), pp. 49—51	538
962. <i>Co-ordinates versus quaternions</i> Proc. Roy. Soc. Edin., t. xx (1895), pp. 271—275	541
963. <i>Note on Dr Muir's Paper "A problem of Sylvester's in Elimination"</i> Proc. Roy. Soc. Edin., t. xx (1895), pp. 306—308	545

CONTENTS.

xiii

	PAGE
964. <i>On the nine-points circle of a spherical triangle</i>	548
Quart. Math. Journ., t. xxvii (1895), pp. 35—39	
965. <i>On the sixty icosahedral substitutions</i>	552
Quart. Math. Journ., t. xxvii (1895), pp. 236—242	
966. <i>Note on a memoir in Smith's Collected Papers</i>	558
Bulletin of the American Math. Soc., 2 nd Ser., t. i (1895), pp. 94—96	
*967. <i>An elementary treatise on elliptic functions</i>	560
First edition, 1876, second edition, 1895	

100
101
102
103
104
105

CLASSIFICATION.

ANALYSIS

- Algebra, 894, 936, 937, 940, 961, 963.
- Quaternions, 962.
- Theory of numbers (Pellian Equation), 948.
- Theory of equations, 897, 905, 907, 914, 925, 932, 938, 950.
- Combinatory Analysis, 903, 915.
- Groups, 903, 918, 934, 957, 965.
- Trees, 895.
- Matrices, 910, 916.
- Invariants and covariants, 908, 923, 926, 927, 932, 942.
- Reciprocants and differential invariants, 933, 943, 944.
- Differential equations, 889, 890, 909, 941, 956.
- Theory of functions, 945, 955.
- Conformal representation, 892, 920, 921, 946.
- Elliptic functions, 891, 901, 935, 966, 967.
- Transformation of elliptic functions, 896, 898, 906.

GEOMETRY


- Systems of circles, 947, 953, 954, 964.
- Theory of plane curves, 912, 917, 924, 939, 952, 959, 960.
- Tactions, 919.

- Plane quartics, 891.
Plane quintics, 893.
Epitrochoid, 913.
Mechanical description of curves, 952.
Theory of tortuous curves, 949, 958.
Theory of surfaces, 929, 931, 958.
Quadrics, 902, 904.
Quartic surfaces, 888.
Wave surface, 930.
Minimal surfaces, 899.
Line geometry, 911, 928.
Non-Euclidian geometry, 951.


Lunar theory, 922.
Biographical notice of Sylvester, 900.

r	W	2 PARTS	3 PARTS	4 PARTS	5 PARTS	6 PARTS	7 PARTS	8 PARTS	
3	1								
4	2	11 = $\frac{2}{2}$							
5	3	12 = $\frac{5}{5}$	111 $5 \times 2 = 10$ 2) $\overline{10} = 5$						
6	4	13 = $\frac{6}{9}$ 22 = $\frac{3}{9}$	112 $6 \times 5 = 30$ $3 \times 4 = 12$ 2) $\overline{42} = 21$	1111 $21 \times 2 = 42$ 3) $\overline{42} = 14$					
7	5	14 = $\frac{7}{14}$ 23 = $\frac{7}{14}$	113 $7 \times 6 = 42$ $7 \times 2 = 14$ 2) $\overline{56} = 28$ 122 $7 \times 3 = 21$ $7 \times 5 = 35$ 2) $\overline{56} = 28$ 56	1112 $28 \times 5 = 140$ $28 \times 4 = 112$ 3) $\overline{252} = 84$	11111 $84 \times 2 = 168$ 4) $\overline{168} = 42$				
8	6	15 = $\frac{8}{20}$ 24 = $\frac{8}{20}$ 33 = $\frac{4}{20}$	114 $8 \times 7 = 56$ $8 \times 2 = 16$ 2) $\overline{72} = 36$ 123 $8 \times 7 = 56$ $8 \times 6 = 48$ $4 \times 10 = 40$ 2) $\overline{144} = 72$ 222 $8 \times 3 = 24$ 2) $\overline{24} = 12$ 120	1113 $36 \times 6 = 216$ $72 \times 2 = 144$ 3) $\overline{360} = 120$ 1122 $36 \times 3 = 108$ $72 \times 5 = 360$ $12 \times 6 = 72$ 3) $\overline{540} = 180$ 300	11112 $120 \times 5 = 600$ $180 \times 4 = 720$ 4) $\overline{1320} = 330$	111111 $330 \times 2 = 660$ 5) $\overline{660} = 132$			
9	7	16 = $\frac{9}{27}$ 25 = $\frac{9}{27}$ 34 = $\frac{9}{27}$	115 $9 \times 8 = 72$ $9 \times 2 = 18$ 2) $\overline{90} = 45$ 124 $9 \times 8 = 72$ $9 \times 7 = 63$ $9 \times 5 = 45$ 2) $\overline{180} = 90$ 133 $9 \times 4 = 36$ $9 \times 6 = 54$ 2) $\overline{90} = 45$ 223 $9 \times 7 = 63$ $9 \times 3 = 27$ 2) $\overline{90} = 45$ 225	1114 $45 \times 7 = 315$ $90 \times 2 = 180$ 3) $\overline{495} = 165$ 1123 $45 \times 7 = 315$ $90 \times 6 = 540$ $45 \times 10 = 450$ $45 \times 4 = 180$ 3) $\overline{1485} = 495$ 1222 $90 \times 3 = 270$ $45 \times 5 = 225$ 3) $\overline{495} = 165$ 825	11113 $165 \times 6 = 990$ $495 \times 2 = 990$ 4) $\overline{1980} = 495$ 11122 $165 \times 3 = 495$ $495 \times 5 = 2475$ $165 \times 6 = 990$ 4) $\overline{3960} = 990$ 1485	111112 $495 \times 5 = 2475$ $990 \times 4 = 3960$ 5) $\overline{6435} = 1287$	1111111 $1287 \times 2 = 2574$ 6) $\overline{2574} = 429$		
10	8	17 = $\frac{10}{35}$ 26 = $\frac{10}{35}$ 35 = $\frac{10}{35}$ 44 = $\frac{5}{35}$	116 $10 \times 9 = 90$ $10 \times 2 = 20$ 2) $\overline{110} = 55$ 125 $10 \times 9 = 90$ $10 \times 8 = 80$ $10 \times 5 = 50$ 2) $\overline{220} = 110$ 134 $10 \times 9 = 90$ $10 \times 7 = 70$ $5 \times 12 = 60$ 2) $\overline{220} = 110$ 224 $10 \times 8 = 80$ $5 \times 6 = 30$ 2) $\overline{110} = 55$ 233 $10 \times 4 = 40$ $10 \times 7 = 70$ 2) $\overline{110} = 55$ 385	1115 $55 \times 8 = 440$ $110 \times 2 = 220$ 3) $\overline{660} = 220$ 1124 $55 \times 8 = 440$ $110 \times 7 = 770$ $110 \times 5 = 550$ $55 \times 4 = 220$ 3) $\overline{1980} = 660$ 1133 $55 \times 4 = 220$ $110 \times 6 = 660$ $55 \times 2 = 110$ 3) $\overline{990} = 330$ 1223 $110 \times 7 = 770$ $110 \times 3 = 330$ $55 \times 6 = 330$ $55 \times 10 = 550$ 3) $\overline{1980} = 660$ 2222 $55 \times 3 = 165$ 3) $\overline{165} = 55$ 1925	11114 $220 \times 7 = 1540$ $660 \times 2 = 1320$ 4) $\overline{2860} = 715$ 11123 $220 \times 7 = 1540$ $660 \times 6 = 3960$ $330 \times 10 = 3300$ $660 \times 4 = 2640$ 4) $\overline{11440} = 2860$ 11222 $660 \times 3 = 1980$ $660 \times 5 = 3300$ $55 \times 8 = 440$ 4) $\overline{5720} = 1430$ 5005	111113 $715 \times 6 = 4290$ $2860 \times 2 = 5720$ 5) $\overline{10010} = 2002$ 111122 $715 \times 3 = 2145$ $2860 \times 5 = 14300$ $1430 \times 6 = 8580$ 5) $\overline{25025} = 5005$ 7007	1111112 $2002 \times 5 = 10010$ $5005 \times 4 = 20020$ 6) $\overline{30030} = 5005$ 11111111 $5005 \times 2 = 10010$ 7) $\overline{10610} = 1430$		


$w = 14$



$w = 15$



$w = 16$






Fig 1. $c=a-b-d$.




Fig 1-2.




Fig 2. $c=a-b+d$




Fig 2-3.




Fig 3. $c=a+b-d$




Fig 3-4.




Fig 4. $c=a+b+d$

Exterior Series.

A E DB

Fig. 1.




Fig. 1-2.




Fig. 2.




Fig. 2-3.




Fig. 3.




Fig. 3-4.

B A E D

Fig. 4.

Interior Series.

